- 2. The isolated nucleic acid of claim 1, wherein said nucleotide sequence encodes a human Tcl-1b protein having [an] amino acid sequence [of] SEQ ID NO:39 from amino acid number 1 to 128.
- **3.** An isolated nucleic acid of not more than 50 kilobases which contains a contiguous sequence of at least [an] 18 nucleotides encoding a Tcl-1b protein fragment.
- **4.** An isolated nucleic acid of not more than 50 kilobases which contains a contiguous sequence of at least [an] 18 nucleotides [portion] of the sequence depicted in SEQ ID NO: 40.
- **5.** The isolated nucleic acid of claim 1, comprising [a] nucleotide sequence [of] SEQ ID NO:38 from nucleotide number 1 to 1152.
- 8. An isolated nucleic acid, comprising a sequence encoding a fragment of a protein having an amino acid sequence of at least 10 amino acids, sharing at least 70% amino acid sequence homology to at least 25 contiguous amino acids of SEQ ID NO:39 from amino acid number 1 to 128, [which fragment can be specifically bound by an antibody to a Tcl-1b protein].
- **10.** A host cell that contains said recombinant DNA vector of claim [7]9.
- 11. The recombinant DNA vector of claim [7]9, wherein the nucleotide sequence encodes a human Tcl-1b protein having [an] amino acid sequence [of] SEQ ID NO:39 from amino acid number 1 to 128.



- **12.** An isolated nucleic acid of not more than 50 kilobases which contains a contiguous sequence of at least [a] 50 nucleotides [portion] of SEQ ID NO: 40.
- 13. An isolated nucleic acid that is capable of hybridizing under stringent conditions to a nucleotide sequence that is complementary to the cDNA sequence of SEQ ID NO:38, said nucleic acid containing a contiguous sequence of at least [an] 25 nucleotides [portion] of SEQ ID NO:38.
- 14. An isolated nucleic acid that is capable of hybridizing under stringent conditions to a nucleotide sequence that is complementary to a cDNA sequence that encodes a Tcl-1b protein, which protein has an amino acid sequence of SEQ ID NO:39, and said nucleic acid containing a contiguous sequence of at least [an] 25 nucleotides [portion] of SEQ ID NO:38.
- **15.** An antisense molecule, comprising a nucleotide sequence complementary to at least [a part of a] <u>fifteen nucleotides of coding sequence of a Tcl-1b [protein] mRNA</u>, which <u>forms a stable duplex in vivo with [is hybridizable to] a Tcl-1b mRNA</u>.
- **16.** The antisense molecule of claim 15, wherein said nucleotide sequence is complementary to at least [a part] <u>fifteen nucleotides</u> of the sequence depicted in SEQ. ID. NO: 38.
- 23. A host cell that contains a recombinant vector comprising a nucleic acid that is capable of hybridizing under stringent conditions to a nucleotide sequence that is complementary to a cDNA sequence that encodes a Tcl-1b protein, which protein has the amino acid sequence of SEQ ID NO:39, [and] said nucleic acid